



PRO-XL Sports Performance Racks

PXLS-7910 Half Rack

- Space saving half rack design features with quick change safety spotters rated to 900 lbs. weight capacity.
- 7-degree slant design ensure natural and safe racking position.
- OPTIONS: PXLS-7914 Olympic platform (oak center) with inset.
PXLS-7911 Olympic platform (all rubber) with inset.



Olympic bar, weight plates and
spring clip collars not included.

PXLS-7920 Dual Rack

- Combination of two Half Racks allows multiple exercise participation for up to two users simultaneously.
- Designed to accommodate two PXLS-7914 or 7911 Olympic platforms.
- OPTIONS: PXLS-7914 Olympic platform (oak center) with inset.
PXLS-7911 Olympic platform (all rubber) with inset.



Olympic bar, weight plates and spring clip collars not included.

PXLS-7930 Power Rack

- Popular power rack system with full length reinforced safety rails rated to 900 lbs. weight capacity.
- Dual 2" round fat bar frame connectors double as pull-up station.
- OPTIONS: PXLS-7915 Olympic platform (oak center) with inset.
PXLS-7912 Olympic platform (all rubber) with inset.



Olympic bar, weight plates and spring clip collars not included.

PXLS-7950 Super Rack

- Combination of Power Rack and Half Rack design allows multiple exercise participation for up to two users simultaneously.
- Designed to accommodate two Olympic platforms with insets.
- OPTIONS: PXLS-7914 & PXLS-7915 Olympic platform (oak center) with inset.
PXLS-7911 & PXLS-7912 Olympic platform (all rubber) with inset.




Olympic bar, weight plates and spring clip collars not included.


ACCESSORIES & PLATFORMS **Pro-XL**




PXLS-7994 Horizontal Bumper Rack



OLYMPIC PLATFORM All Rubber



PXLS-7996 Spotter Platform (pair)



OLYMPIC PLATFORM Oak Wood Center

Multiple-layer design, 2" thick platform and inset available with 3/4" solid oak hardwood center or all rubber. Available for all models.



PXLS-7997 Landmine



PXLS-7998 Dip Attachment
(Not available for PXLS-7910 or 7920)



PXLS-7999 Dual Bar Catches
(Not available for PXLS-7910 or 7920)



PXLS-7901 Self-Aligning Adjustable Bench
For use with or without platform. (Shown with PXLS-7910 Half Rack)

WEIGHT & DIMENSIONS **Pro-XL**

OLYMPIC PLATFORM All Rubber

PXLS-7911 6' x 8' Olympic Platform with inset:
for PXLS-7910, 7920 & 7950.

PXLS-7912 6' x 8' Olympic Platform with inset:
for PXLS-7930 & 7950.

PXLS-7913 6' x 8' Olympic Platform
Free Standing.

OLYMPIC PLATFORM Oak Wood Center

PXLS-7914 6' x 8' Olympic Platform with inset:
for PXLS-7910, 7920 & 7950.

PXLS-7915 6' x 8' Olympic Platform with inset:
for PXLS-7930 & 7950.

PXLS-7916 6' x 8' Olympic Platform
Free Standing.

Customize your Olympic Platform with your own logo.

Please inquire with your sales representative for logo
set-up fee and any additional charges.




PXLS-7950 Super Rack shown
with two Olympic platforms with insets
(PXLS-7914 & PXLS-7915).

PXLS-7910 Half Rack


PXLS-7920 Dual Rack

PXLS-7930 Power Rack


PXLS-7950 Super Rack




Height: 97 in/246 cm
Rack Wt: 410 lb/186 kg
Platform Wt: 400 lb/181 kg



Height: 97 in/246 cm
Rack Wt: 640 lb/246 kg
Platform Wt: 400 lb/181 kg



Height: 97 in/246 cm
Rack Wt: 630 lb/286 kg
Platform Wt: 430 lb/195 kg



Height: 97 in/246 cm
Rack Wt: 860 lb/390 kg
Platform Wt: 430 lb/195 kg

SPECIFICATIONS, FEATURES & WARRANTY **Pro-XL**

Features designed to satisfy the evolving needs of the modern athlete!



Dual, mid-width, "thick bar" frame connectors on Power Rack and Super Rack double as additional support and pull up station.



Full length, reinforced Lever Lock™ safety rails adjust in 3" increments on all full cages. (Patent Pending)



Quick change, easy move safety spotters on all Half Cages. (Patent Pending)



Integrated J-hook design featuring 1-inch solid steel Swing Lock™ bar catches. (Patent Pending)

- 3"x 3" 7-gauge and 2"x3" 11-gauge tubular steel construction.
- Proprietary 8-step electrostatically applied powder coat finish, oven baked to insure durability.
- Deep penetrating electrically welded high strength frames.
- Durable-welded knurled zinc plated multi-grip pull-up station for wide, narrow, reverse and neutral grip upper body exercises.
- 3/4" spring loaded Lever-lock™ pull pins (Patent Pending) on Safety Rails load rated at over 15,000 lbs.
- 3/8" and 1/2" grade 5 & 8 frame bolts used for optimum strength and durability.
- Heavy duty weight horns provide ample room to store weight plates of all sizes.
- Storage hooks, suspension loops, Olympic bar storage and power band pegs offered as standard features.
- All frames designed to anchor to floor. Refer to your Owner's Manual for anchoring requirements.



Custom two tone finish offers choice of six primary colors:
 (1) Matte Black (2) Platinum Sparkle (3) Sky White (4) Twilight Blue
 (5) Charcoal Texture (6) Wrinkle Black
 Custom color available – inquire with your sales representative.

Commercial Warranty*

- | | |
|------------------|--|
| 10 YEARS: | Structural frame (coating excluded) and welds. |
| 1 YEAR: | Pull-pin components and platform/inset (surface finish excluded). ALL other parts not mentioned, one year from the date of purchase to the original purchaser. |
| 90 DAYS: | Platform surface finish, custom platform logo and rubber mat. Finish (applies only to defects from manufacturer only). |

* See Owner's Manual for details.



13971 Norton Avenue, Chino, CA 91710, USA PH: 909-629-1600 FX: 909-629-4967
 info@tuffstuff.net www.tuffstufffitness.com



9.1.17_050314