



Your Wellness Solution Provider



Impulse (Qingdao) Health Tech Co., Ltd.

Add: No. 369 Huashan 2nd road, Jimo, Qingdao, China

Tel: 0086 532 85793158 or 0086 532 83958616

Fax: 0086 532 83958619

<http://www.impulsefitness.com>

E-mail: [sales@impulsefitness.com](mailto:sales@impulsefitness.com)



IMPULSE  
SELECTED COLLECTION



Your Wellness Solution Provider



## INTRODUCTION

In 1970s, industrial development in Taiwan was thriving. The founder of Impulse, Mr. Roger Chu took aim of exporting fitness equipment to Western countries. In 1991, Impulse moved production from Taiwan to Qingdao, and became the very first fitness manufacturer in Mainland China. With nearly 30 years' experience, Impulse (Qingdao) Health Tech Co., Ltd. was founded in 2004. In 2011, Impulse brought in Venture Capital and aiming at stock market. In September 2017, Impulse (Qingdao) Health Tech Co., Ltd. did IPO successfully in Shenzhen stock market and achieved breakthrough in capital market.

Impulse has abundant and solid R&D team and advanced to international level. Impulse cooperated with plenty of research institutions, such as China Institute of Sports Science, Beijing University, Beijing Forestry University and also some foreign organizations. Impulse has achieved wealthy honors, including Key Hi-tech Enterprise of China Torch Program, National Enterprise Technology Center, Shandong Province Industrial Design Center, Core Member of China New Fitness Equipment Technology Innovation Association, etc. Impulse is also one of the drafters of National Standard of Fitness Equipment. With the sales network and customer resources all across the world, Impulse R&D team can accurately gather first-hand information regarding market trend and sales figure. By analyzing the information as the foundation of R&D, Impulse prepares product development in advance so it can response much faster to customer needs.

Impulse industrial park is located in Jimo which is in the north of Qingdao. Qingdao has a world top-ten harbor which has convenient transportation and daily ocean freights to worldwide ports. The industrial park is composed by Toyota Production System that can manufacture many different product lines very fast at the same time. It has many advanced machinery and quality control equipments, such as plasma cutting machine, CNC 3D tube bending machine, welding robot, automatic electrostatic powder coating line, three-coordinate measuring machine, energy dispersive X-ray fluorescence spectrometer and so on. These can all ensure the high quality standard of Impulse product.

Impulse understands customer needs well and created full range of indoor and outdoor fitness product system. Impulse sales network is across numerous countries and areas, it's providing professional fitness equipments and sports facilities to gyms, star hotels, corporations, families and individuals. Impulse cardio equipment combines innovative technology that integrated exercise, entertainment, intelligence and sharing. With many patents applied, the equipment has better longevity, easier maintenance and lower operation cost. Impulse strength equipment has strong lineup which has ergonomic design, humanity details and comfortable user experience. There has been a great deal of effort devoted to it. All steel structures and important parts are selected carefully, and the motion curve is adjusted precisely. Impulse outdoor fitness equipment and sport facility can meet various needs of different ages, as well as creating beautiful scenery for community.

Impulse devotes itself to be a reliable fitness expert trusted by global consumers and lead the way to wellness. Impulse will be your wellness solution provider.





CARDIO





RT950 TREADMILL

## Impulse Touch Screen Operation System

1920x1080 resolution brings high definition TV contents meeting SMPTE (Society of Motion Picture and Television Engineers) standard.

A Quad-core 1.8Ghz processor with 2G memory provides powerful computing capability par with personal computer to make sure you gain unparalleled experience whenever interactive with treadmill, enjoy video or suffering internet.

Trainers could connect to internet by turning this treadmill into a terminal of information world. This machine would accompany with you to advancing with the era.

For club owners, cable TV (ATSC or DVB-T2/T or DVB-C or ISDB supported) and Virtual Scenery integrated in the OS would create better entertainment environment for trainers.


More fun, more renewals, more possibility to make decisions.



Well designed quick start page combine the key parameters and interfaces to the next level, as well as the most important quick-start button. Whatever users want to know necessary information, make advanced settings, or exercise directly, this page is enough.



Exercise Program and key parameters at a glance. The button layout is extremely convenient, what you see is what you get.



We recognize the importance of maintaining online for you, through the system comes with a browser, you will not miss any news in workout.



Providing various entertainment experiences, including video and music play. Virtual Scene provides various sites all over the world for trainers to enjoy while exercising.





RT950  
TREADMILL



RT930  
TREADMILL



RT750  
TREADMILL

Model	RT950	RT930	RT750
Certification	CE,ETL,EN957	CE,ETL,EN957	CE,ETL,EN957
Max User Weight	180kg/396lbs	150kg/330lbs	180kg/396lbs
AC/DC	AC	AC	AC
Power Requirement	15A	15A	15A
Electrical Receptacle & Plug	220-240V	220-240V	220-240V
Motor Power	5HP	3HP	5HP
Motor Peak Power	7.5HP	4.5HP	7.5HP
Speed range	1-25km/h (0.6-15mph)	1-20km/h (0.6-12mph)	1-25km/h (0.6-15mph)
Incline range	0-15%	0-15%	0-15%
One Touch Buttons	3%,6%,9%,12%(Incline); 3,6,9,12(Speed)	3%,6%,9%,12%(Incline); 3,6,9,12(Speed)	3%,6%,9%,12%(Incline); 3,6,9,12(Speed)
Handle bar Control	Yes	No	Yes
Console Display	18.5" TFT	11.6" TFT	7 LED + Matrix 16×40
Console Readouts	Heart rate,%Heart rate,Time in zone,AverageSpeed,Pace, Time Elapsed,%Time Remaining, Calories,Calories/Hour,Distance, Speed,Incline,1/4 mile or 400 meters motivational track	Heart rate, Time Elapsed, Calories, Distance,Speed, incline, 1/4 mile or 400 meters motivational track	Heart rate, %Heart rate, Time in zone, Average Speed, Pace, Time Elapsed, %Time Remaining, Calories, Calories/Hour, Distance, Steps,Speed,Incline
Metric/English	Metric/English	Metric/English	Metric/English
Touch Screen	Yes	Yes	No
Entertainment (TV, WiFi etc.)	Music/TV(cable)/WiFi/Internet Virtual Scenery	Music/TV(cable)/WiFi/Internet Virtual Scenery	No
Programs	Cardio,Random,Fatburn,Hills, Interval,HR,5km,Fireman test	Cardio,Random,Fatburn,Hills, Interval,HR,5km,Fireman test	Manual ,Cardio,Interval,Burn Calories,Heart Rate,Advanced,
HR Monitor	Contact&Telemetry	Contact&Telemetry	Contact&Telemetry
Roller Diameter	Front:88.9mm (3.5") Back:76mm (3")	Front:88.9mm(3.5")Back:76mm(3")	Front:88.9mm(3.5")Back:76mm(3")
Deck	Reversible 1"Deck	Reversible 1"Deck	Reversible 1"Deck
Running surface	558×1524(mm)/22"×60"	558×1524(mm)/22"×60"	558×1524(mm)/22"×60"
Belt Thickness	1.6mm	2.5mm	1.6mm
Belt Brand	Habasit	Siegling	Habasit
Step-up Height	245mm	245mm	245mm
Suspension System	Pulflex™ Commercial Suspension System		
Accessory Storage	IPAD/Phone Holder/Magazine Holder 2 Bottle Holders	Phone Holder/ 2 Bottle Holders	IPAD/Phone Holder/Magazine Holder/2 Bottle Holders
USB Charger	Yes	Yes	Yes
USB Data Exchange	Yes	Yes	No
Fan	Yes (3 speed level)	Yes (3 speed level)	Yes (3 speed level)
Multi-language Display	Yes	Yes	Yes
Gross Weight	266.8kg/587lbs	268.6kg/590.9lbs	273.7kg/602.1lbs
Net Weight	203kg/446.6lbs	205.8kg/452.8lbs	207.2kg/455.8lbs
Product Dimension	2080×950×1590(mm) 81.9"×37.4"×62.6"	2080×876×1513(mm) 81.9"×34.5"×59.6"	2080×950×1590(mm) 81.9"×37.4"×62.6"
Packing size	2 Packages: Box 1:2230×970×480(mm) 87.8"×38.2"×18.9" Box 2:1145×1105×390(mm) 45"×43.5"×15.4"	2 Packages: Box 1:2230×970×480(mm) 87.8"×38.2"×18.9" Box 2:975×965×280(mm) 38.4"×38.0"×11.0"	2 Packages: Box 1:2230×970×480(mm) 87.8"×38.2"×18.9" Box 2:1145×1105×390(mm) 45"×43.5"×15.4"
40HQ		51Sets	
40GP	40Sets	42Sets	40Sets



Model	RU930
Certification	ETL/CE/EN957
Max User Weight	160kg/350lbs
Brake Type	Self powered hybrid brake
Resistance Brake Power	350w
Resistance Levels	20
Crank	Standard
Pedal	Single sided weighted pedal
Flywheel Weight	8kg
One Touch Buttons	No
Handle bar Control	3 riding positions , with contact heart rate grips
Console Display	11.6"TFT
Console Readouts	Distance, time, speed, watt, calories, RPM, heart rate
Metric/English	Metric&English
Touch Screen	Yes
Entertainment (TV, Wifi etc.)	Music/TV (cable) /WiFi/Internet/Virtual Scenery
Programs	11
HR Monitor	Contact&telemetry
Accessory Storage	Yes
USB Charger	Yes
USB Data Exchange	Yes
Multi-language Display	Yes
Special Features	11.6"touch screen for bikes and cross-trainers Internet (wireless or wired), video streaming apps,
Gross Weight	87.3kg/192.1lbs
Net Weight	67kg/147.4lbs
Product Dimension	1090x660x1492/43"x26"x59"
Packing Size	1160x405x1020(mm)/46"x16"x40.2"
40HQ	116Sets

RU930  
UPRIGHT BIKE



CARDIO

R



## RR930 RECUMBENT BIKE



CARDIO

R

Model	RR930
Certification	ETL/CE/EN957
Max User Weight	160kg/352lbs
Brake Type	Self Powered Hybrid Brake
Resistance Brake Power	350W
Resistance Levels	20
Crank	Standard
Pedal	Single sided weighted pedal
Flywheel Weight	8kg
One Touch Buttons	No
Handle bar Control	ErgoNomically designed seat-side handles with contact heart rate grips on-your-finger-tips control
Console Display	11.6" TFT
Console Readouts	Distance, time, speed, watt, calories, RPM, heart rate
Metric/English	Metric&English
Touch Screen	Yes
Entertainment (TV, Wifi etc.)	Music/TV (cable) /WIFI/Internet/Virtual Scenery
Programs	11
HR Monitor	Contact&Telemetry
Accessory Storage	Yes
USB Charger	Yes
USB Data Exchange	Yes
Multi-language Display	Yes
Special Features	11.6" touch screen for bikes and cross-trainers Internet (wireless or wired), video streaming apps
Gross Weight	105.4kg/231.9lbs
Net Weight	87kg/191.4lbs
Product Dimension	1650x650x1400(mm)/65"x26"x55"
Packing Size	1615x435x890(mm)/63.6"x17"x35"
40GP	72Sets

CARDIO

R



Model	RE930
Certification	CE
Max User Weight	160kg/352lbs
Power Supply	60W
Brake Type	Self Powered Hybrid Brake
Resistance Brake Power	350W
Resistance Levels	20
Electrical Receptacle & Plug	Yes
Incline range	No
Stride Length	533mm/21"
Pedal	Pedal with cushioned gel pads
Pedal Spacing	1"
Step-up Height	190mm/7.5"
One Touch Buttons	No
Handle bar Control	Yes
Console Display	11.6" TFT
Console Readouts	Speed,Time,Calorie,RPM,Distance,Heart rate,Resistance,etc.
Metric/English	Metric&English
Touch Screen	Yes
Entertainment (TV, Wifi etc.)	Music/TV (cable) /WIFI/Internet/Virtual Scenery
Programs	11
HR Monitor	Contact&Telemetry
Accessory Storage	Cup holder, Magazine Holder, Phone Holder
USB Charger	Yes
USB Data Exchange	Yes
Multi-language Display	Yes
Special Features	On-your-finger-tips, Ergonomically designed handle bars, Easy to service
Gross Weight	174.9kg/384.8lbs
Net Weight	118kg/259.6lbs
Product Dimension	2179x742x1610(mm)/85.8" x 29.2" x 63.4"
Packing Size	2300x650x1090(mm)/90.6" x 25.6" x 43"
40HQ	36Sets



RE930  
ELLIPTICAL

CARDIO

R



Model	PT500
Certification	CE
Max User Weight	150kg/330lbs
AC/DC	AC
Power Requirement	15A
Electrical Receptacle & Plug	220-240V
Motor Power	3HP
Motor Peak Power	4.5HP
Speed range	1-20km/h (0.6-12mph)
Incline range	0-15%
One Touch Buttons	3%,6%,9%,12%(incline);3,6,9,12(speed)
Handle bar Control	No
Console Display	18.5" TFT
Console Readouts	Heart rate, Time Elapsed, Calories, Distance, Speed, incline, 1/4 mile or 400 meters motivational track
Metric/English	Metric&English
Touch Screen	Yes
Entertainment (TV, WiFi etc.)	Music/TV (cable) /WiFi/Internet/Virtual Scenery
Programs	Cardio, Random, Fatburn, Hills, Interval, HR, 5km, Firemantest.
HR Monitor	Contact&Telemetry
Roller Diameter	Front:88.9mm(3.5") Back:76mm (3")
Deck	Reversible 1" deck
Running surface	545x1524(mm)/21.5"x 60"
Belt Thickness	2.5mm
Belt Brand	Siegling
Step-up Height	260mm
Suspension System	Pulflex™ Commercial Suspension System
Accessory Storage	Phone Holder/ 2 Bottle Holders
USB Charger	No
USB Data Exchange	No
Fan	Yes (3 speed level)
Multi-language Display	Yes
Gross Weight	270kg/594lbs
Net Weight	208kg/457.6lbs
Product Dimension	2140x935x1480(mm)/84.3"x36.8"x 58.3"
Packing size	2 Packages: Box 1: 2260×930×550(mm)/89"×36.6"×21.7" Box 2: 1265×1050×350(mm)/49.8"×41.3"×13.8"
40HQ	41Sets
40GP	36Sets



PT500  
TREADMILL

## PS450 INDOOR GROUP CYCLE

Resistance System	Magnetic
Emergency Stop	Push
Flywheel	Aluminum
Flywheel Weight	3.5kg
Pulley	Aluminum
Drivetrain	Belt
Drivetrain Ratio	1:10
Frame Material	Steel
Adjustment Type	Aluminum
Pedal	Dual-sided vp pedal
Shaft	φ25
Bearing	TPI
Handlebar	Multi-position, Soft PVC
Handlebar Adjustment	Vertical&Horizontal
Saddle	Ultra-padded sport saddle
Saddle Adjustments	Vertical&Horizontal
Water Bottle Holder	Double
Maximum User Weight	150kgs/330lbs
Gross Weight	54kg/118.8lbs
Net Weight	47kg/103.4lbs
Product Dimension	1445×604×1050(mm) 56.9"×23.8"×41.3"
Packing size	1250×315×1000(mm) 49"×12.4"×39.3"



### Option: Console

Resistance Level	1-20
Metric/English	Metric/English
Console Readouts	Resistance Level, Time, Speed(AVG/MAX), Distance, Watt(AVG/MAX), RPM(AVG/MAX), Heart Rate(AVG/MAX), Calories
Console Display	4.5"LCD
Power Requirement	5# battery×4
Product Dimension	160×78×30.5 (mm)



Magnetic brake system provides more stable resistance, and more convenient adjustment.



V structure, 164mm Q-FACTOR allows ideal riding position



Seat and handles are adjustable horizontally and vertically. Aluminum post and newly designed knob allows convenient adjustment



Rear aluminum flywheel is waterproof. The plastic edge shroud ensures riding safety.

Maintenance-free belt offers more quiet and smoothly riding experience.



Dual cup holders for intense training



Dual-sided pedals allow riders to wear either cycling or athletic shoes.



Larger main frame, over-sized axis and pedal shaft ensure reliable quality.




Tension unit for stretch before and after riding







STRENGTH



## EXOFORM >>>

Uniformly low profile at 1492mm is designed by American team.  
Translucent shroud at thickness 3.2mm with smooth pattern is in injection molding, which designed elegantly and ensures ultra durability and non-deformation

Build-in console, which is well designed by American UI team, displays reps and time

The upright tubes are with special tube at size 72.8×141.7×3mm, and the functional part with race track tube at size 40×133×3mm. Tubes apply double powder-coated & painting process which ensure high-quality and ultra durability

The steel guide rod (diameter:19mm) is anti-corrosion coated and polished which ensures smoothly travel and rust-proof

Friendly designed iPad and bottle holders are separated to meet various requirement

The 5LBS incremental weight is to meet users requirement

Weight stack: 19mm full steel plate. Weight options-160/200/235/295Lbs

All the hardware parts exposed are nickel plated or stainless steel. The NBK bearing is applied

Ergonomically designed handle bars, which is patented, are with TPU material and aluminium grip ring. The concise design offers comfort and safety

Ergonomically designed upholstery is with PU foam which offers comfort and safety protection

Belt and cable driving system are both applied. Self-lubricate American Loss cable with nylon-coated 12 complex fiber ensures service life 300,000 times. The belt is with steel wire embedded which ensures ultra durability and long lifetime

All dynamic components are shielded for safety purpose

Gas spring for resetting

With spiral spring assistance system, the patented 3-linkage seat adjustment is concisely designed, cost-saving and offers easy installment




Meet EN957 safety regulation





## FE9701 CHEST PRESS

Dimension (L×W×H)	1230x1570x1490(mm) 48.4x61.8x58.7 (in)
Net Weigh	169.7kg/373.3lbs



Pre-stretch allows easy entry and exit, and increase the range of motion.



The 3-bar linkage structure offers smooth, convenient adjustment.





Multi-position handle bars allow variety workout.




## FE9702 LAT PULLDOWN


Dimension (L×W×H)	1305×1230×2010 (mm) 51.4x48.4x79.1 (in)
Net Weight	177.7kg/390.9lbs



Uniaxial structural movement ensures complete & efficient muscle workout.



Aluminum casting handles stand for the premium positioning.



Adjustable foam roller offers supports during workout for users at various height.

## FE9703 ARM CURL

Dimension ( L×W×H )	1150x1567x1490(mm) 45.3x61.7x58.7 (in)
Net Weight	169.1kg/372lbs



Ergonomic handle bar is self-adaptive to meet various users requirements.





User-friendly design allows easy entry and exit.



Diverging motion structure allows exercise simultaneously or alternately.

## FE9704 PECTORAL


Dimension ( L×W×H )	1147x1551x1490 (mm) 45.2x61.1x58.7 (in)
Net Weight	131kg/288.2lbs (TBD)



It helps user to get a better training for central part of pectoralis major.



Adjustable seat pad to meet different user heights.



Adjustable starting position of foam that help to accommodate a variety of user needs.





## FE9705 LEG EXTENSION

Dimension (L×W×H)	1300x1240x1490(mm) 51.2x48.8x58.7 (in)
Net Weight	169.6kg/373.1lbs



## FE9706 SEATED LEG CURL

Dimension (L×W×H)	1242x1541x1490 (mm) 48.9x60.7x58.7 (in)
Net Weight	183.6kg/403.9lbs




Adjustable foam roller and back upholstery allows users at different height for a desired position.



Pivot mark in yellow allows users to get correct exercise position.




Replaceable leg pad allows easy maintenance



Adjusted roller pads are designed to prevent sports injury.



Adjustable starting position and back pads to meet a variety of training demands. training positions are adjustable as well.



Pivot mark in yellow allows users to get correct exercise position.



## FE9708 ABDUCTOR/ADDUCTOR


Dimension (L×W×H)	1736x1500x1490 (mm) 68.3x59.1x58.7 (in)
Net Weight	165.8kg/364.8lbs



User-friendly design allows easy entry and exit.



Calf wrap pads provide comfortable training experience and strong support for user.




Convenient adjusting Cam makes easy operating. Increase the range of motion effectively.

## FE9710 LEG PRESS

Dimension (L×W×H)	1785×1350×1490 (mm) 70.3x53.1x58.7 (in)
Net Weight	279kgs/613.8lbs



Unique structure supports wide movement to ensure efficient workout of hip and leg.



Back pad adjustable while in sitting position.



Assisted arm helps user entry and exit easily.





FE9712 SHOULDER PRESS

Dimension ( L×W×H )	1765x1425x1490(mm) 69.5x56.1x58.7 (in)
Net Weight	168.7kg/371.1lbs



Independent movement handles result in training separately.



Multi-grips provide exercise variation



Inclined seat and back upholstery provide excellent support to body, help to get a better training performance.

FE9714 ABDOMINAL

Dimension ( L×W×H )	1385×1210×1490 (mm) 54.5x47.6x58.7 (in)
Net Weight	141.5kg/311.3lbs



Ergonomic handle provides a comfortable training experience.



Easy to adjust the startup position, effectively increase the range of motion.



Multiple foot pedals accommodate various users , to support user hip from sitting condition.




### FE9715 PEC FLY/REAR DELT

Dimension (L×W×H)	1296x1758x1490(mm) 51x69.2x58.7 (in)
Net Weight	160.7kg/353.5lbs



Exercise both back and chest muscle groups.



Extended handle to support more training positions.




Easy-to-start front starting position.



Anti-slide pedal enhance calf exercise and more safety.



Standing position provide best training results.



Ergonomic shoulder pad comfortably fits user's shoulder.



### FE9716 CALF RAISE

Dimension (L×W×H)	1265x1186x1721(mm) 49.8x46.7x67.8 (in)
Net Weight	167.8Kg/369.2lbs








## FE9718 TORSO ROTATION


Dimension (L×W×H)	1291x1346x1490 (mm) 50.8x53.0x58.7 (in)
Net Weight	138.5kg/304.7lbs (TBD)



Brand new motions and fixation help to get lumbar fixed when user rotates thoracic spine.



Get your torso rotation from the seated position. Easily adjust the height of seat to meet the different users height.




Provide multi-starting positions enable users to set up the optimal seat height.



## FE9719 ROW


Dimension (L×W×H)	2000x1130x1490(mm) 78.7x44.5x58.7 (in)
Net Weight	174.8kg/384.6lbs



Self-balanced handles enable to keeps the same initial posture to provide convenience for following user.



Chest pad and erect oval handle allows single arm rowing exercise.



Multiple pedal positions to provide and assume variety exercise




## FE9720 WEIGHT ASSISTED CHIN/DIP COMBO

Dimension ( L×W×H )	1750x1380x2200 (mm) 68.9x54.3x86.6 (in)
Net Weight	243.5kg/535.7lbs



Multi-handle enables user to assume variety motions.




Rotatable neutral handles is to accommodate various users



Ideal for chin up and dip



Angle of arm cushion and hip pad are shaped to support spinal column, and help user to keep the hip stability in sitting position.



Calf wrap pad is easy to adjust in sitting position.



Pivot mark in yellow allows users to get correct exercise position.



## FE9721 PRONE LEG CURL

Dimension ( L×W×H )	1705x1194x1490(mm) 67.1x47x58.7 (in)
Net Weight	154.2kg/339.2lbs








## FE9723 TRICEP


Dimension ( L×W×H )	1150x1580x1490( mm )
	45.3x62.2x58.7 (in)
Net Weight	163.5kg/359.7lbs



User-friendly design allows easy entry and exit.



Longer handle suitable for variety arm lengths.




Pivot mark in yellow allows users to get correct exercise position.



## FE9724 LATERAL RAISE


Dimension ( L×W×H )	1261x1267x1490 (mm)
	49.6x25.5x58.7 (in)
Net Weight	187.5kg/412.5lbs




The Large arm pads help to increase the holding area of user arms and provide maximum comfort effect during exercise.



Adjustable chest pad makes other auxiliary muscle independently getting triceps a better workout.




Provide an natural movement with arms rotation and adapt to different user sizes.



### FE9726 GLUTE


Dimension ( L×W×H )	1304x1484x1490 (mm) 51.3x58.4x58.7 (in)
Net Weight	100Kg/220lbs (TBD)



User can adjust the start position of adjustable footplate to meet the different user sizes, eliminate the pressure to the knee.



Auxiliary handle bar, chest and knee pad provide a beneficial stabilising to upper body and user hip, help user to exercise by their gluteal muscles.




The rotary motion is more comply with normal motion of human



### FE9732 BACK EXTENSION

Dimension ( L×W×H )	1385x1225x1490 ( mm ) 54.5x48.2x58.7 (in)
Net Weight	185.4kg/407.9lbs



Ergonomic back pad enable user to work out comfortably.



Backrest ensures correct work out position.



Multi-position pedals suitable for variety user heights.





# IT95 Line >>>

Tube: 3mm tube in main frame and movement parts. U-frame uses PR95x81.1x3 tube and functional parts use RT50x100

Plastic part: Injection molding for better quality

Painting: Double coated surface treatment

Incremental weight (optional): 5lbs for smaller adjustment

Weight stack: 19mm full steel plate. Weight options - 160/200/235/295Lbs

Easy to enter and exit the machine and able to adjust when in sitting position

Conform with EN957. Passed 300,000 times fatigue test and 100kg stable test

Handle: Patented ergonomic design with TPU material

Standard metal part: Nickel plated or stainless steel for better appearance and quality


Diverging motion structure allows the arm training simultaneously and alternately

Pad: Double stitch and add protect cover on the back. Various colors to choose from

Pulley: Lathed pulley with less tolerance


Cable: USA imported cable which passed more than 250 thousand times test

Bearing: Reliable Taiwan brand




## IT9501 CHEST PRESS

PRODUCT DIMENSION (LxWxH)	1475x1200x1506 (mm) 58.1x47.2x59.3 (in)
PRODUCT WEIGHT	127.4kg/280.3lbs




## IT9502 LAT PULLDOWN

PRODUCT DIMENSION (LxWxH)	1437x1380x1889 (mm) 56.6x54.3x74.4 (in)
PRODUCT WEIGHT	147.7kg/324.9lbs




### IT9503 ARM CURL

PRODUCT DIMENSION (LxWxH)	1295x1208x1506 (mm) 51.1x47.6x59.3 (in)
PRODUCT WEIGHT	115.5kg/254.1lbs




### IT9505 LEG EXTENSION

PRODUCT DIMENSION (LxWxH)	1202x1189x1506 (mm) 47.3x46.8x59.3 (in)
PRODUCT WEIGHT	133.1kg/292.8lbs



### IT9504 PECTORAL


PRODUCT DIMENSION (LxWxH)	1460x1360x1506 (mm) 57.5x53.5x59.3 (in)
PRODUCT WEIGHT	145.2kg/319.4lbs



### IT9506 SEATED LEG CURL


PRODUCT DIMENSION (LxWxH)	1536x1186x1506 (mm) 60.5x46.7x59.3 (in)
PRODUCT WEIGHT	149.6kg/329.1lbs






### IT9508 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION (LxWxH)	1555x900x1506 (mm) 61.2x35.4x59.3 (in)
PRODUCT WEIGHT	131.1kg/288.4lbs




### IT9510 LEG PRESS

PRODUCT DIMENSION (LxWxH)	1800x1200x1506 (mm) 70.9x47.2x59.3 (in)
PRODUCT WEIGHT	211.3kg/464.9lbs




### IT9509 TOTAL HIP

PRODUCT DIMENSION (LxWxH)	1292x972x1506 (mm) 50.9x38.3x59.3 (in)
PRODUCT WEIGHT	148.2kg/326.7lbs




### IT9512 SHOULDER PRESS

PRODUCT DIMENSION (LxWxH)	1560x1443x1510 (mm) 61.4x56.8x59.4 (in)
PRODUCT WEIGHT	137.4kg/302.3lbs




### IT9514 ABDOMINAL

PRODUCT DIMENSION (LxWxH)	1346x1148x1581 (mm) 53x45.2x62.2 (in)
PRODUCT WEIGHT	116.2kg/255.6lbs




### IT9516 CALF RAISE

PRODUCT DIMENSION (LxWxH)	1287x1156x1739 (mm) 50.7x45.5x68.5 (in)
PRODUCT WEIGHT	120.2kg/264.4lbs




### IT9515 PEC FLY/REAR DELT

PRODUCT DIMENSION (LxWxH)	1180x1288x2048 (mm) 46.5x50.7x80.6 (in)
PRODUCT WEIGHT	124.0kg/272.8lbs




### IT9517 DIP PRESS

PRODUCT DIMENSION (LxWxH)	1694x1234x1506 (mm) 66.7x48.6x59.3 (in)
PRODUCT WEIGHT	142.5kg/313.5lbs




### IT9518 TORSO ROTATION

PRODUCT DIMENSION (LxWxH)	1225x1205x1506 (mm) 48.2x47.4x59.3 (in)
PRODUCT WEIGHT	127.3kg/280.1lbs




### IT9520 WEIGHT ASSISTED CHIN/DIP COMBO

PRODUCT DIMENSION (LxWxH)	1573x1315x2286 (mm) 61.9x51.8x90 (in)
PRODUCT WEIGHT	171kg/376.2lbs



### IT9519 VERTICAL ROW


PRODUCT DIMENSION (LxWxH)	1622x1300x1506 (mm) 63.9x51.2x59.3 (in)
PRODUCT WEIGHT	126.5kg/278.3lbs



### IT9521 PRONE LEG CURL


PRODUCT DIMENSION (LxWxH)	1443x1146x1506 (mm) 56.8x45.1x59.3 (in)
PRODUCT WEIGHT	131.5kg/289.3lbs






### IT9522 LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION (LxWxH)	1900x900x2230 (mm) 74.8x35.4x87.8 (in)
PRODUCT WEIGHT	131.6kg/289.5lbs




### IT9526 GLUTE

PRODUCT DIMENSION (LxWxH)	1503x1245x1506 (mm) 59.2x49x59.3 (in)
PRODUCT WEIGHT	133.6kg/293.9lbs




### IT9524 LATERAL RAISE

PRODUCT DIMENSION (LxWxH)	1222x1213x1506 (mm) 48.1x47.8x59.3 (in)
PRODUCT WEIGHT	117.5kg/258.5lbs




### IT9528 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (LxWxH)	1350x1227x1506 (mm) 53.2x48.3x59.3 (in)
PRODUCT WEIGHT	167Kg/368.2lbs




### IT9529 MULTI PRESS

PRODUCT DIMENSION (LxWxH)	1827x1437x1667 (mm) 71.9x56.6x65.6 (in)
PRODUCT WEIGHT	166kg/365.9lbs




### IT9533 BICEP CURL/TRICEP EXTENSION

PRODUCT DIMENSION (LxWxH)	1300x1240x1506(mm) 58.0x55.4x67.2(in)
PRODUCT WEIGHT	132.5kg/291.5lbs



### IT9532 BACK EXTENSION

PRODUCT DIMENSION (LxWxH)	1233x1188x1506 (mm) 48.5x56.8x59.3 (in)
PRODUCT WEIGHT	123.7kg/272.1lbs




### IT9534 ABDOMINAL/BACK EXTENSION

PRODUCT DIMENSION (LxWxH)	1196x1189x1506(mm) 53.4x50.8x61.7(in)
PRODUCT WEIGHT	139.2kg/306.2lbs

Jungle >> >







\* TRANSPARENT SHROUD IS OPTIONAL.



### IT9525 ADJUSTABLE HI/LO PULLEY

PRODUCT DIMENSION	1450x1245x2350(mm)
(LxWxH)	57.1x49.0x92.5(in)
PRODUCT WEIGHT	93.9Kg/206.58lbs (TBD)

\* TRANSPARENT SHROUD IS OPTIONAL.



### IT9530 DUAL ADJUSTABLE PULLEY


PRODUCT DIMENSION	1620x1370x2270(mm)
(LxWxH)	63.8x54.0x59.4(in)
PRODUCT WEIGHT	165kg/363lbs (TBD)



### IT9527 4 STACK MULTI-STATION

PRODUCT DIMENSION	3489x1968x2382(mm)
(LxWxH)	137.4x77.5x93.8(in)
PRODUCT WEIGHT	295Kg/649lbs (TBD)

\* TRANSPARENT SHROUD IS OPTIONAL.



### IT9527OPT CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION	2824x222x483(mm)
(LxWxH)	111.2x8.74x19.0(in)
PRODUCT WEIGHT	29Kg/63.8lbs (TBD)



### IT9525+IT9525+IT9527OPT

PRODUCT DIMENSION	4196x1436x2360(mm)
(LxWxH)	165.2x56.5x92.9(in)

### IT9525+IT9527+IT9527OPT

PRODUCT DIMENSION	5089x3489x2380(mm)
(LxWxH)	200.4x137.4x93.7(in)



### IT9527+IT9527+IT9527OPT

PRODUCT DIMENSION	5982x3489x2380(mm)
(LxWxH)	235.5x137.4x93.7(in)



\* TRANSPARENT SHROUD IS OPTIONAL.





**in impulse**

**THE WAY TO WELLNESS**

All text, picture and data in this catalogue are for reference only. If there is inconsistency between the information and the actual product, the actual product shall govern. Impulse reserves all rights. We explain any error or difference in this catalogue.

Statement: Impulse Branding is upgrading and during that time, **in impulse** and **impulse** are both trademarks of Impulse products. Thank you for your support as always.