


# RR700

RECUMBENT BIKE

## OWNER'S MANUAL



### **! CAUTION**

Read all precautions  
and instructions in this manual  
before using this equipment

**! CAUTION**

Read all precautions and instructions in this manual before using this equipment.

**Table Of Contents**

Important Safety Information -----	3
Warm Up Exercises -----	4
Parts List -----	5
Exploded View -----	7
Usage And Maintenance -----	9
Console Panel Functions -----	10
Troubleshooting Guide -----	15

## Important Safety Instructions

### Warning

The safety of the product can be maintained only if it is examined regularly for damage and wear. See preventive maintenance section for details.

### Location

1. Keep the area around the product clear of any obstructions, including walls and furniture. Provide at least three feet of clearance behind the unit.
2. Do not use the product outdoors, near swimming pools, or in areas of high humidity.
3. Do not allow other people to interfere in any way with the user or equipment during workout.
4. Supervise closely any children or disabled persons using the product.

### Operation

1. Always follow the console instructions for proper operation.
2. Do not reach into, or underneath, the unit; and do not tip the unit on its side during operation.
3. Never insert objects into any opening of the Bike. If any object fall into this equipment, carefully retrieve it while the unit is not in use. If the object can't be reached, please contact customer services.
4. Never place any containers filled with liquids on the unit, except in the accessory tray or water bottle holder. Containers should be covered with lids.
5. Wear shoes with rubber or high-traction soles. Do not wear shoes with high heels, leather shoes, slippers, or spikes. Make sure no sharp stuff is embedded in the soles.
6. Do not use the bike with bare feet.
7. Keep all loose clothing, shoelaces, and towels away from moving parts.
8. Take extra caution when stepping on or off the bike.
9. Never face backward while using the bike.

**Save these instructions for future reference**

## Warm Up Exercises

### EXERCISE GUIDELINES

**WARNING!** Before beginning this or any exercise program, you should consult your physician. This is especially important for individuals over the age of 35 or individuals with pre-existing health problems.

Warming up prepares the body for the exercise by increasing circulation, supplying more oxygen to the muscles and raising body temperature. Begin each workout with 5 to 10 minutes of stretching and light exercise to warm up. The photos on this page show several forms of basic stretching you may perform before your workouts. In order to achieve an adequate warm-up, perform each stretch three times.

### TOE TOUCH STRETCH

Stand, bending your knees slightly and slowly bend forward from your hips. Allow your back and shoulders to relax as you reach down toward your toes as far as possible. Hold for 15 counts, then relax. This will stretch your hamstrings, back of knees, and back.

### HAMSTRING STRETCH

Sit with one leg extended. Bring the sole of the opposite foot toward you and rest it against the inner thigh of your extended leg. Reach toward your toes as far as possible. Hold for 15 counts, then relax. This will stretch your hamstrings, lower back, and groin.

### CALF/ACHILLES STRETCH


With one leg in front of the other, reach forward and place your hands against a wall. Keep your back leg straight and your back foot flat on the floor. Bend your front leg, lean forward and move your hips toward the wall. Hold for 15 counts, then relax. To cause further stretching of the achilles tendon, bend your back leg as well. This will stretch your calves, achilles tendons, and ankles.

### QUADRICEPS STRETCH

With one hand against a wall for balance, reach back and grasp one foot with your other hand. Bring your heel as close to your buttocks as possible. Hold for 15 counts, then relax. This will stretch your quadriceps and hip muscles.

### INNER THIGH STRETCH

Sit with the soles of your feet together and your knees outward. Pull your feet toward your groin area as far as possible. Hold for 15 counts, then relax. This will stretch your quadriceps and hip muscles.




## Parts List

Item No	Description	QTY	Item No	Description	QTY
1	Main Frame	1	35	Water Bottle Holder	1
2	Upright Frame	1	36	Water Bottle Holder Bracket	1
3	Adjustable Bracket	1	37	Shaft	1
4	Seat Pad Support Frame	1	38	Plug For Crank	2
5	Handlebar	1	39	Tightener	1
6	Leader	1	40	Spacer For Tightening	3
7	Adjustable Handle	1	41	Rubber Washer	2
8	Pull Spring	1	42	Leveler Foot	5
9	Nylon Idler Wheel	6	43	Pressure Plate	1
10	Bushing	4	44	Spacer	1
11	Dentoid Iron	1	45	Plastic Spacer	2
12	Net Back Pad	1	46	Adhesive Tape	1
13	Pull Spring	1	47	Poly-V Belt	1
14	Adjustable Shaft	2	48	PU Wheel	2
15	Adjustable Iron	2	49	Left Pedal	1
16	Bearing End Cover	2	50	Right Pedal	1
20	Left Cover	1	51	Left Crank	1
21	Right Cover	1	52	Right Crank	1
22	Top Cover	1	53	Seat Pad	1
23	Front Cover	1	54	Belt Pulley	1
24	Rear Cover	1	55	Tightening Nut	1
25	Plug	1	56	Tension Spring	1
26	Prevent Stepped Covering	1	57	To Slow Down Plate	2
27	Back Cover	1	58	Bundle Line	0.55
28	Decoration Cover	1	59	Undee Washer $\Phi 20$	2
29	Set-up Box	1	60	Hex Flange Screw	2
30	Front Base	1	61	Allen Screw M6*15	15
31	Rear Base	1	62	Washer $\Phi 6.6 \times \Phi 15 \times 2$	5
32	Front Base Cover	1	63	Adjustable Washer	2
33	Rear Base Cover	1	64	Rivet $\Phi 3.2 \times 15$	4
34	Crank Ring	2	65	Rivet Nut M5	4


## Parts List

Item No	Description	QTY	Item No	Description	QTY
66	Rivet Nut M6*16.5	1	99	Allen Pan Bolt M6*12	2
67	Bearing 6203	2	100	Allen Pan Bolt M8*25	2
68	Bearing 6204	2	101	Allen Pan Bolt M8*45	2
69	Allen Nut M6	1	102	Allen Pan Bolt M8*60	2
70	Allen Nut M8	1	103	Nut	6
71	Allen Nut M10	5	104	Allen Pan Bolt 1/4"-20*19	4
72	Hex Head Bolt M8*20	4	105	Pules Plate	1
73	Hex Head Bolt M8*70	1	106	Pules Plate	1
74	Hex Head Bolt M10*25	12	108	Spanner	1
75	Hex Head Bolt M10*40	4	109	Spanner	1
76	Allen Bolt M5*15	3	110	Hex Key S=5	1
77	Allen Bolt M6*20	5	111	Hex Key S=6	1
78	Allen Bolt M6*20	5	200	Console Bracket	1
79	Allen Bolt M6*25	1	201	Console	1
80	Allen Bolt M8*20	2	E1	Console overlay	1
81	Allen Bolt M8*55	2	E1.1	Console LOGO Sticker	1
82	Pillip Screw M5*12	20	E2	Console Cable	1
83	Pillip Screw ST2.9*9.5	4	E3	Stopwatch	1
85	Pillip Screw ST4.2*9.5	8	E4	Wireless Receiver	1
86	Pillip Screw ST4.2*16	9	E5	Magnet Cord	1
87	Shaft Clip Φ10	2	E6	Controllor PCB	1
88	Shaft Clip Φ17	1	E7	Switching Cable 1	1
89	Shaft Clip Φ20	2	E8	Switching Cable 2	1
90	Spring Washer Φ6	8	E9	Console Cable	1
91	Spring Washer Φ8	12	E10	Stopwatch	1
92	Spring Washer Φ10	12	E11	EKG	1
93	Washer Φ5.5*Φ10*1	8	E12	Hand Pules Cable	1
94	Washer Φ9*Φ16*1.6	16	E13	Resistance Cable	1
95	Nylon Nut M6	5	E14	Control Cable	1
96	Nylon Nut M8	2	E15	Hybird	1
97	Nylon Nut M10	6	E16	Magnet Cord	2
98	Nylon Nut M12	4			

# Exploded View




# Exploded View





## Usage And Maintenance



### Instruction

1. Max. User Weight is 180 Kg.
2. When moving the machine, grab the Rear Base to lift, then move it.
3. When using the machine, you must ensure it stand steadily on the ground. If it isn't steady, you must adjust the Leveler Foot.
4. Adjusting the Seat Pad of the machine. Front and back, you must pull up the Adjustable Handle, and move the Seat Pad down along the tube of the machine. When it is ok, you can release the handle.
5. The machine has self-generating system (no power required).

### Maintenance

1. Tighten the pedals every 3 months.
2. If the Bolts and Screws have the trend of losing, please lock them timely.

# Console Panel Functions




## Console Panel Functions

### CONSOLE PANEL FUNCTIONS

#### 1. CALORIES WINDOW

Indicates estimated calories burned, based on user's weight, speed, resistance, and time.



#### 2. WATT WINDOW

Indicates user's current power (Watt).



#### 3. DISTANCE WINDOW

Indicates Kilometers or Miles traveled in 0.01 increments up to 9.99 and 0.1 increments starting at 10.0 (Range 0.01---999).

*distance*

#### 4. SPEED WINDOW

Indicates workout laps per minute on pedal.



*speed*

#### 5. TIME WINDOW

Indicates elapsed time after press Start in minutes and seconds (0-99minutes, 0-59seconds).



*time*

#### 6. HEART RATE WINDOW

Indicates user's current heart rate (BPM).



♥ *heart rate*

#### 7. RESISTANCE WINDOW

Indicates workout in degree of force L1—L20 in 1 increments.



*resistance*

#### 8. DOT MATRIX

8.1 Indicates Welcome message when turn on power.

8.2 Indicates message when enter value.

8.3 Indicates workout curve in Program mode.

8.4 Indicates workout 400m track when manual.



### CONSOLE BUTTONS

#### 1. START

This button is used to start the current program.



#### 2. RESET

This button is used to stop the current program.



#### 3. + and -

These buttons are used to adjust the degree of Resistance of the machine during workout.



These buttons are also used to adjust the values when entering up your workout.

## Console Panel Functions

### 4. COOL DOWN



This button is used to select workout "cool down mode".

### 5. NUMERIC KEYPAD



These buttons are used to enter values.

### 6. OK



This button is used to confirm user selection.

### 7. SELECTION BUTTON



This button is used to delete value entered.

### 8. MANUAL ONE TOUCH

This button is used to select workout "manual mode".

### 9. INTERVAL ONE TOUCH

This button is used to select workout "interval mode".

### 10. FAT BURN ONE TOUCH

This button is used to select workout "fat burn mode".

### 11. CARDIO ONE TOUCH

This button is used to select workout "cardio mode".

### 12. WEIGHT LOSS ONE TOUCH

This button is used to select workout "weight loss mode".

### 13. HEART RATE ONE TOUCH

This button is used to select workout "heart rate mode".



## CONSOLE OPERATION

### 1. QUICK START/MANUAL MODE

1.1 Start the pedal

1.2 Indicates "PRESS QUICKSTART OR SELECT PROGRAM", "ENTER WEIGHT" in dot matrix, '68' will flash in degree of force window. Use degree of force + or – button to adjust user's weight.

1.3 Press "OK", indicates "PRESS QUICK START OR SELECT PROGRAM" in dot matrix.

- (1) If press QUICK START button through manual mode;
- (2) If press FAT BURN button through fat burn mode;
- (3) If press INTERVAL button through interval mode;
- (4) If press CARDIO button through cardio mode;
- (5) If press HEART RATE button through heart rate mode;
- (6) If press WEIGHT LOSS button through weight loss mode.

1.4 If press RESET button will be reset.

## Console Panel Functions

### 2. PROGRAM MODE

#### 2.4 PROGRAM

##### 2.4.1 FAT BURN

Press FAT BURN button

(1) Indicates FAT BURN MODE in dot matrix, Time window will flash "30:00".

Use degree + or – button to adjust value;

(2) Indicates workout curve in dot matrix after 5 seconds;

(3) Indicates ENTER TIME in dot matrix after 5 seconds;

(4) Indicates PRESS QUICK START in dot matrix after press OK button.

##### 2.4.2 INTERVAL

Press INTERVAL button

(1) Indicates INTERVAL MODE in dot matrix, Time window will flash "30:00".

Use degree + or – button to adjust value;

(2) Indicates workout curve in dot matrix after 5 seconds;

(3) Indicates ENTER TIME in dot matrix after 5 seconds;

(4) Indicates PRESS QUICK START in dot matrix after press OK button.

##### 2.4.3 CARDIO

Press CARDIO button

(1) Indicates CARDIO MODE in dot matrix, Time window will flash "30:00". Use degree + or – button to adjust value;

(2) Indicates workout curve in dot matrix after 5 seconds;

(3) Indicates ENTER TIME in dot matrix after 5 seconds;

(4) Indicates PRESS QUICK START in dot matrix after press OK button.

##### 2.4.4 HEART RATE

User must wear chest belt when through HEART RATE mode;

HR1: Target pulse is 65% of Max. pulse;

HR2: Target pulse is 75% of Max. pulse;

HR3: Target pulse is 85% of Max. Pulse.

## Console Panel Functions

### **2.4.4.1 HEART RATE 1**

Press HEART RATE button to cycle through HEART RATE 1, HEART RATE 2, HEART RATE 3

- (1) Indicates HEART RATE 1 in dot matrix, Time window will flash "30:00". Use degree + or – button to adjust value;
- (2) Indicates ENTER TIME in dot matrix after 5 seconds;
- (3) Indicates ENTER AGE in dot matrix after press OK button, Pulse window will show target pulse;
- (4) Indicates PRESS QUICK START after press OK button.

### **2.4.4.2 HEART RATE 2 - HEART RATE 3**

Press HEART RATE button to cycle through HR2, HR3, the same with HR1.

### **2.4.5 WEIGHT LOSS**

Press WEIGHT LOSS button

- (1) Indicates WEIGHT LOSS PROGRAM in dot matrix, Time window will flash "30:00". Use degree + or – button to adjust value;
- (2) Indicates workout curve after 5 seconds;
- (3) Indicates ENTER TIME after 5 seconds;
- (4) Indicates PRESS QUICK START in dot matrix after press OK button.

## Troubleshooting Guide

Malfunction	Probable Cause	Corrective Action
Heart rate reading is erratic or absent entirely	Belt transmitter electrodes are not wet enough to pick up accurate heart rate readings.	Wet the belt transmitter electrodes.
	Belt transmitter electrodes are not laying flat against the skin.	Ensure the belt transmitter electrodes are laying flat against the skin.
	Belt transmitter needs cleaning.	Wash the belt transmitter with mild soap and water.
	Belt transmitter is not within 3 feet (one meter) of the heart rate receiver.	Make sure the chest strap transmitter is within three feet (one meter) of the heart rate receiver.
	Chest strap battery is depleted.	Contact Customer Support Services for instructions on how to have the chest strap replaced.
Abnormally elevated heart rate readings	Electromagnetic interference from cell phones.	Move the bike a few inches away from the probable cause, or move the probable cause a few inches away from the bike, until the heart rate readings are accurate.
	Electromagnetic interference from computers.	
	Electromagnetic interference from cars.	
	Electromagnetic interference from high voltage power lines.	
	Electromagnetic interference from motor driven exercise equipment.	
	Electromagnetic interference from another heart rate transmitter within three feet (one meter).	

